

DZP1108 **DOMES** SPACES

DZP1108 a new way to live outdoors.
This dome offers multi-functionality, is extremely easy to assemble or disassemble, and is very transportable.

Available Place

 Camping	 Farmhouse Shelter	 Bungalow/Shelter	 Special Training Center
 Refugee house	 plant cultivation house	 Rooftop	 Astronomical Observatory
 Sales/Event Booth	 Private Performance & Workroom	 Playroom	 Smoking Booth

1. Complete DIY Type Dome House



The DZP1108 is an easy do it yourself prefabricated dome that can be easily assembled or disassembled.
(You can check the video of assembling/installing the product on the DSP1108 Dome official website.)

2. Highly Durable, Eco-Friendly Materials



The dome is made of UV/HDPE (High Density Polyethylene) which is a semi-permanent material impermeable to leaks.





3. Affordable Start-Up



For those who dream of the accommodation (hotel, pension, etc.) business's external facilities services, simple accommodation (camping, glamping), and prefabricated external structure sales, they can start the business at a low cost of facility investment.




Scientific Nature of the Dome House

 Optimal energy saving due to convection phenomenon caused by smooth air circulation	 Rigidity as it is a structure that receives very little wind resistance.	 Strong against external pressure and shock, and vibration such as earthquakes	 Safe without pillars or beams to collapse
--	---	---	--

Specification >>



Dimension feet and inches



Size	11.02362 x 8.53018373 (feet)
Weight	about 300kg
Material	HDPE
Configuration	Upper/Lower/Floor Panel, Lighting Roof




DZP1108 is great for user convenience. The unit is patented. Comes complete with skylight, door, window, floor, carpet.




Floor Panel

Provides a basic floor panel that blocks moisture and pests on the floor and relieves impact.



Manual Ventilation System

Adjust the amount of indoor ventilation as necessary.



Lighting Roof

Daylighting is available at night, with heat-resistant, durable materials. (Poly Carbonate)



Sun Visor

This is can block UV rays coming from the lighting roof during the day when the sun is hot.

(Not applicable for Basic dome specification)



Shelf

The lathe, which includes cup holders and mobile phone hangers, is customized for DZP1108.

(Not applicable for Basic dome specification)



Carpet

Dedicated carpeting allows you to create a comfortable and warm indoor environment.

(Not applicable for Basic dome specification)

Outside



DZP1108 is made from High [High Density Polyethylene] and is a Density Polyethylene . It is non toxic environmentally friendly material. DZP1108 is resistant to heat and cold and completely waterproof. The dome comes complete with floor ,skylight ,hydraulic entrance door with internal lock, window ,outdoor carpet. Additional windows can be added.



Window

Up to 7 windows can be added.




Window Lock

External access can be restricted to devices that can be locked from the inside.




Entrance

The door is a high and low hatch type door that uses a hydraulic shoba, which sets it apart from other common doors. (With Internal Locking)



Double Structure Panel

The exterior walls of the hollow structure greatly enhance internal insulation.



Sky Light

Skylight is polycarbonate and can be opened or closed.




Rain Visor

Rain visor is removable

- ※ This product includes regional differential shipping costs unless promotional events are held.
- ※ For the exact price, options, and VAT of this product, please consult with the dealer in charge.
- ※ Parts and model names included in this product may be changed depending on the manufacturer's situation.
- ※ The thickness of this product may vary depending on the manufacturing process, and the color may look different depending on the angle of light and the transmittance.

Assembly

DZP1108 can be set up and used in all types of terrain...



DZP1108 is versatile in its uses.





TEL. 1 561-807-1969



info@domespaces.com

